

Appln No. 10/634,640

Amdt date June 27, 2007

Reply to Office action of June 27, 2007

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-5 (Cancelled)

6. (Previously Presented) A method of decomposing an organic azide, comprising:
allowing an organic azide to contact a catalyst that comprises a transition metal halide, wherein the organic azide has the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group.
7. (Original) A method as recited in claim 6, wherein the transition metal in the transition metal halide can have one or more formal oxidation states.
8. (Original) A method as recited in claim 6, wherein the transition metal in the transition metal halide is present in its highest formal oxidation state.
9. (Previously Presented) A method of decomposing an organic azide, comprising:
allowing an organic azide to contact a catalyst that comprises an iron halide or a mixture of iron halide and a second catalyst, wherein the organic azide has the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group.
10. (Previously Presented) A method of decomposing an organic azide, comprising:
allowing an organic azide to contact a catalyst that comprises a transition metal chloride, wherein the organic azide has the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group.

Appln No. 10/634,640
Amdt date June 27, 2007
Reply to Office action of June 27, 2007

11. (Original) A method as recited in claim 10, wherein the transition metal chloride comprises iron (III) chloride, iron (II) chloride, or a combination of iron (III) chloride and iron (II) chloride.

12. (Previously Presented) A method of decomposing an organic azide, comprising: allowing an organic azide to contact a catalyst that comprises an iron chloride in combination with a second catalyst, wherein the organic azide has the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group.

13. (Previously Presented) A method of decomposing an organic azide, comprising: allowing an organic azide to contact a catalyst that comprises a metal halide, main group halide, mixed metal-main group halide, or mixture thereof, wherein the organic azide has the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group, and wherein the catalyst is dispersed on a support.

14. (Currently Amended) A method as recited in claim 13, wherein the support comprises a second organic halide azide decomposition catalyst.

15-21 (Cancelled)

22. (Previously Presented) A composition of matter comprising:

- (a) an organic azide having the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group; and
- (b) a catalyst capable of decomposing the organic azide, said catalyst comprising a transition metal halide.

Appln No. 10/634,640

Amdt date June 27, 2007

Reply to Office action of June 27, 2007

23. (Previously Presented) A composition of matter as recited in claim 22, wherein the transition metal in the transition metal halide can have one or more formal oxidation states.

24. (Previously Presented) A composition of matter as recited in claim 22, wherein the transition metal in the transition metal halide is present in its highest formal oxidation state.

25. (Previously Presented) A composition of matter comprising:

(a) an organic azide having the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group; and

(b) a catalyst capable of decomposing the organic azide, said catalyst comprising an iron halide or a mixture of iron halide and a second catalyst.

26. (Previously Presented) A composition of matter comprising:

(a) an organic azide having the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group; and

(b) a catalyst capable of decomposing the organic azide, said catalyst comprising a transition metal chloride.

27. (Previously Presented) A composition of matter as recited in claim 26, wherein the transition metal chloride comprises iron (III) chloride, iron (II) chloride, or a combination of iron (III) chloride and iron (II) chloride.

28. (Previously Presented) A composition of matter comprising:

(a) an organic azide having the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group; and

Appln No. 10/634,640
Amdt date June 27, 2007
Reply to Office action of June 27, 2007

(b) a catalyst capable of decomposing the organic azide, said catalyst comprising an iron chloride in combination with a second catalyst.

29. (Previously Presented) A composition of matter comprising:

(a) an organic azide having the formula R-N₃, where R is an organic group selected from the group consisting of alkyl, alkyl amino, nitrogen-containing heterocyclic-substituted alkyl, and alkyl amine substituted with at least one alkyl azide group; and

(b) a catalyst capable of decomposing the organic azide, said catalyst comprising at least one metal halide, main group halide, mixed metal-main group halide, or mixture thereof; and wherein the catalyst is dispersed on a support.

30. (Currently Amended) A composition of matter as recited in claim 29, wherein the support comprises a second organic halide azide decomposition catalyst.

31-33 (Cancelled)